

Amendments to th Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A ~~washer for washing objects, said washer system~~ comprising:
at least one object to be washed; and
a washer comprising:
a housing;
a rotatable member rotatably mounted to said housing at a rotation axis;
wherein, said rotatable member has an outer peripheral surface extending in a direction parallel to said rotation axis;
~~at least one stationary member~~ a rail stationarily mounted to said housing; and
wherein, ~~at least one of said objects~~ is in contact with both said rotatable member outer peripheral surface and said ~~stationary member rail~~.

2. (currently amended) The ~~washer system~~ of claim 1 wherein said ~~stationary member rail~~ has an arcuate profile.

3. (currently amended) The ~~washer system~~ of claim 1 wherein said rotatable member outer periphery comprises a plurality of detents and wherein said ~~at least one of said objects~~ is engaged within ~~at least one of said plurality of detents~~.

4. (currently amended) The ~~washer system~~ of claim 1 wherein said housing comprises a cover and a tank.

5. (currently amended) The ~~washer system~~ of claim 1 and further comprising at least one nozzle attached to said housing.

6. (currently amended) The ~~washer system~~ of claim 5 wherein said nozzle has a spray axis and wherein said spray axis is perpendicular to said rotation axis.

7. (currently amended) The ~~washer system~~ of claim 1, wherein ~~said at least one of said objects~~ comprises a can body.

8. (currently amended) The ~~washer system~~ of claim 1 and further comprising:

a baffle curtain attached to said housing, said baffle curtain comprising an opening; and
wherein said opening is larger than a profile of ~~said at least one of~~ said objects.

9. (currently amended) The washer system of claim 1 wherein:
said ~~stationary member rail~~ comprises ~~at least one stationary member~~
a first surface thereon;
said ~~at least one stationary member rail first~~ surface extends in a direction parallel to said rotation axis; and
said ~~at least one of~~ said objects is in contact with said ~~at least one stationary member rail first~~ surface.

10. (currently amended) The washer of claim 1 wherein ~~said at least one of~~ said objects is located between said rotatable member outer peripheral surface and said ~~stationary member rail~~.

11 - 18. (canceled)

19. (currently amended) A ~~washer for washing objects, said washer system~~ comprising:
at least one object to be washed; and
a washer comprising:
a housing;
a rotatable member rotatably mounted to said housing at a rotation axis;
~~at least one stationary member a rail~~ stationarily mounted to said housing;
wherein, ~~at least one of~~ said objects is located between said rotatable member and said ~~at least one stationary member rail~~; and
wherein, ~~said at least one of~~ said objects is in contact with both said rotatable member and said ~~stationary member rail~~.

20. (currently amended) The washer system of claim 19 wherein said ~~stationary member rail~~ has an arcuate profile.

21. (currently amended) The washer system of claim 19 wherein said housing comprises a cover and a tank.

22. (currently amended) The washer system of claim 19 and further comprising at least one nozzle attached to said housing.

23. (currently amended) The washer system of claim 22 wherein said nozzle has a spray axis and wherein said spray axis is perpendicular to said rotation axis.

S/N 09/921,457
Art Unit 1746
Atty Dkt CBC 2001-10

24. (currently amended) The ~~washer~~ system of claim 4-19, wherein ~~said at least one of~~ said objects comprises a can body.

25. (currently amended) The ~~washer~~ system of claim 4-19 and further comprising:
a ~~baffle curtain~~ attached to said housing, said ~~baffle curtain~~ comprising an opening; and
wherein said opening is larger than a profile of ~~said at least one of~~ said objects.